



TECHNICAL DATA SHEET: PLASTERS, FILLERS & SKIMMERS



TIMBAFIX WOOD FILLER

READY MIXED ACRYLIC

FEATURES AND BENEFITS

- Fills and repairs surface imperfections
- Compatible with solvent and water based paints
- 1 hour drying – sand smooth and paint



DIRECTIONS FOR USE

USAGE PRECAUTIONS

Read all instructions before use. Only apply to dry / damp free surfaces. Ensure new timber is dry. Do not apply to any contaminated, unsound, damp or flaking surfaces as this affects adhesion and results in poor product performance. Mix well before use. Use as directed, product dries to a hard film and becomes difficult to sand. Product not suitable for applications deeper than 2mm. Holes or imperfections deeper than 2 mm must be filled in stages. Contact our product support line 072 396 4980 for assistance prior to use.

SURFACE PREPARATIONS

Use a scraper to remove all loose and flaking material.

Clean surfaces with Powafix Sugar Soap*. Treat algae or fungi with Powafix Fungi Fix*. No primer needed.

APPLICATION INSTRUCTIONS

Use a clean scraper to apply product to affected area. After 20 – 30 minutes use a clean damp sponge to smooth off edges and excess filler.

Allow 1 hour to dry and if required use a fine grit sand paper to sand smooth. Wipe clean and paint with either a water based or solvent based paint.

STORAGE INSTRUCTIONS

Ensure lid is tightly sealed and product stored upright. Secure product when transporting to prevent accidental spillage. Store in a cool place out of reach of children. Dispose of empty container and do not use for any other purpose. Do not dispose into common waste system contact 0860 254 620 for disposal information. Discard product 18 months after batch date.

SAFETY INSTRUCTIONS



May cause an allergic skin reaction.



TECHNICAL DATA SHEET: PLASTERS, FILLERS & SKIMMERS



Read all instructions before use. Use product within well-ventilated areas. Keep out of reach of children. If medical advice is needed, have product packaging at hand. Use personal protective equipment as required. Wear protective gloves. Wear eye protection. Wear a dust mask. Avoid inhalation of dust.

IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Seek medical attention if symptoms persist.

IF ON SKIN Take off immediately all contaminated clothing and wash before reuse. Wash with soapy water.

Seek medical attention if symptoms persist.

IF SWALLOWED Do not induce vomiting and seek immediate medical assistance.

Dispose of contents and packaging in accordance with all local, regional, national and international regulations.

National poison centre: 0861 555 777

PRODUCT GUARANTEE

In the unlikely event that you are not totally satisfied - this product has a 12 month warranty. This warranty only includes replacement of the same product or a refund of the original purchase price. Product must be returned in its original packaging with proof of payment. This warranty excludes product failure caused by misuse or use of the product outside of recommended uses and instructions on the packaging.

PRODUCT INFORMATION

Colour	Barcode	Product Code	Pack Size	Case Size	
WHITE	6009600997844	SPA100MLWHT	100ML	6	
	6009600990449	SPA500G	250ML	6	
	6009600998186	SPA500MLWH	500ML	6	
IIMBUIA	6009600997622	SPA100MLIMB	100ML	6	
	6009600998186	SPA500MLIMB	500ML	6	
MAHOGANY	6009600997646	SPA100MLMAH	100ML	6	
	6009600998216	SPA500MLMAH	500ML	6	



TECHNICAL DATA SHEET: PLASTERS, FILLERS & SKIMMERS



MERANTI	6009600997592	SPA100MLMER	100ML	6	
	6009600998209	SPA500MLMER	500ML	6	
PINE	6009600997639	SPA100MLPIN	100ML	6	
	6009600998193	SPA500MLPIN	500ML	6	
BEECH	6009600998087	SPA100MLBEE	100ML	6	
	6009600998131	SPA500MLBEE	500ML	6	
CHERRY	6009600998094	SPA100MLCHE	100ML	6	
	6009600998148	SPA500MLCHE	500ML	6	
SAPELE	6009600998100	SPA100MLSAP	100ML	6	
	6009600998155	SPA500MLSAP	500ML	6	
EBONY	6009600998117	SPA100MLEBO	100ML	6	
	6009600998162	SPA500MLEBO	500ML	6	



TECHNICAL DATA SHEET: PLASTERS, FILLERS & SKIMMERS



OAK	6009600998124	SPA100MLOAK	100ML	6	
	6009600998179	SPA500MLOAK	500ML	6	

PRODUCT SPECIFICATION

Appearance	Soft Paste
Available Colours	White, Imbuia, Mahogany, Meranti, Pine, Beech, Cherry, Sapele, Ebony & Oak.
Density	1.72 – 1.78 kg/l

ISSUE DATE: NOVEMBER 2021

The information contained on this Technical Data Sheet is, to the best of our knowledge, true and accurate. As the conditions of use are not under our control, no warranty is given or implied in respect of such information, or in respect of any recommendations or suggestions which may be made.