

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

FLUIDRA

Version 1 Date of compilation: 29/04/2022

Page 1 of 12
Print date: 29/04/2022

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

Product identifier.

Product Name: BLU52 All-In-One Pool Solution

Relevant identified uses of the substance or mixture and uses advised against it.

Product Use: Algaecide, Disinfectant, Sanitiser, Bactericide, Fungicide, Micro biocide/microbiostat

Uses Advised Against: None identified. This is a pesticide product; do not use it in a pesticide application that is not included on its label.

Details of the supplier of the safety data sheet.

Company: **Fluidra Waterlinx (Pty) Ltd**
Address: 5 Kruger Street, Denver, 2094
City: Johannesburg
Province: Gauteng (South Africa)
Telephone: +27 11 037 8400
Fax: +27 11 037 8459
E-mail: customercare@fluidra.co.za
Web: www.fluidra.com

Emergency telephone number: 0861 555 777 (Available 24 hours) (Information of toxicology centre in South Africa)

SECTION 2: HAZARDS IDENTIFICATION.

Classification of the substance or mixture.

In accordance with Regulation (EU) No 1272/2008:

- Acute Tox. 4: Harmful if swallowed.
- Aquatic Acute 1: Very toxic to aquatic life.
- Eye Dam. 1: Causes serious eye damage.
- Ox. Sol. 2: May intensify fire; oxidiser.
- Skin Corr. 1B: Causes severe skin burns and eye damage.

Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word:

Danger

Hazard statements:

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H400 Very toxic to aquatic life.

Precautionary statements:

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

FLUIDRA

Version 1 Date of compilation: 29/04/2022

Page 2 of 12
Print date: 29/04/2022

P405 Store locked up.
P501 Dispose of contents/container in accordance with applicable regulations.

Contains:

Calcium hypochlorite
Calcium dihydroxide

Active substances:

Calcium hypochlorite, 30 - 80%;
Calcium dihydroxide, 3 - 10%;

Other hazards.

The mixture does not contain substances classified as PBT.
The mixture does not contain substances classified as vPvB.
The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

Substances.

Not Applicable.

Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
Index No: 017-012-00-7 CAS No: 7778-54-3 EC No: 231-908-7 Registration No: 01-2119487005-40-XXXX	calcium hypochlorite	30 - 80 %	Acute Tox. 4 *, H302 - Aquatic Acute 1, H400 (M=10) - Ox. Sol. 2, H272 - Skin Corr. 1B, H314	Skin Corr. 1B, H314: C ≥ 5 % Skin Irrit. 2, H315: 1 % ≤ C < 5 % Eye Dam. 1, H318: 3 % ≤ C < 5 % Eye Irrit. 2, H319: 0,5 % ≤ C < 3 %
CAS No: 1305-62-0 EC No: 215-137-3 Registration No: 01-2119475151-45-XXXX	[1] [2] calcium dihydroxide	3 - 10 %	Eye Dam. 1, H318 - STOT SE 3, H335 - Skin Irrit. 2, H315	-
Index No: 017-013-00-2 CAS No: 10043-52-4 EC No: 233-140-8 Registration No: 01-2119494219-28-XXXX	calcium chloride	1 - 10 %	Eye Irrit. 2, H319	-

(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

[1] Substance with a European Union exposure limit in the workplace (see section 8.1).

[2] Substance with a national workplace exposure limit (see section 8.1).

SECTION 4: FIRST AID MEASURES.

Description of first aid measures.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

FLUIDRA

Version 1 Date of compilation: 29/04/2022

Page 3 of 12
Print date: 29/04/2022

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Don't let the person to rub the affected eye.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners. The use of personal protective equipment is recommended for people providing first aid (see section 8).

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes or skin can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

Contact with eyes may cause irreversible damage.

Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

SECTION 5: FIREFIGHTING MEASURES.

Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health. The product may cause or facilitate the combustion of other materials.

Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Consider wind direction. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

Version 1 Date of compilation: 29/04/2022

FLUIDRA

Page 4 of 12
Print date: 29/04/2022

Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, diatomaceous earth) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

Specific end use(s).

Not available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m ³
Calcium dihydroxide	1305-62-0	European Union [1]	Eight hours		1 (Respirable fraction)
			Short term		4 (Respirable fraction)
		United Kingdom [2]	Eight hours		5
			Short term		
		Éire [3]	Eight hours		1 (Respirable fraction)
			Short term		4 (Respirable fraction)
		Italia [4]	Eight hours		5
			Short term		
		United States [5] (Cal/OSHA)	Eight hours		5 (Total dust)
			Short term		
		United States [6] (NIOSH)	Eight hours		5 (Total dust)
			Short term		

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

FLUIDRA

Version 1 Date of compilation: 29/04/2022

Page 5 of 12
Print date: 29/04/2022

		United States [7] (OSHA)	Eight hours		15 (Total dust) 5 (Respirable fraction)
			Short term		

[1] According both Binding Occupational Exposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

[2] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

[3] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

[4] Second Government Legislative Decree n.277, 08/15/1991, Legislative Decree n.66 and Ministerial Decree 02/26/2004. [5] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

[6] National Institute for Occupational Safety and Health. NIOSH Recommendations for occupational safety and health, Compendium of Policy Documents and Statements, January, 1992, DHHS (NIOSH) Publication No. 92-100.

[7] Occupational Safety and Health Administration United States Department of Labour. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
Calcium dihydroxide CAS No: 1305-62-0 EC No: 215-137-3	DNEL (Workers)	Inhalation, Chronic, Local effects	1 (mg/m ³)
	DNEL (Workers)	Inhalation, Chronic, Systemic effects	1 (mg/m ³)

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

CAS: 7778-54-3



TLV TWA - 1 mg/m³

TLV STEL - 2 mg/m³

Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Concentration:	100 %				
Uses:					
Breathing protection:					
PPE:	Particle filter mask				
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.				
CEN standards:	EN 149				
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.				
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.				
Filter Type needed:	P2				
Hand protection:					
PPE:	Non-disposable protective gloves against chemicals.				
Characteristics:	«CE» marking, category III. Check the list of chemicals for which the glove has been tested.				
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420				
Maintenance:	A schedule for the periodical replacement of gloves should be established in order to guarantee their replacement before pollutants permeate them. The use of contaminated gloves could be more dangerous than not using gloves, since the pollutant can gradually accumulate in the glove's material.				
Observations:	They are to be replaced whenever tears, cracks or deformations are observed or when exterior dirt could reduce their strength.				
Material:	Butyl	Breakthrough time (min.):	> 480	Material thickness (mm):	0,5

Eye protection:					
PPE:	Protective goggles against particle impacts.				
Characteristics:	«CE» marking, category II. Eye protector against dust and smoke.				

-Continued on next page.-

SAFETY DATA SHEET




(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

Version 1 Date of compilation: 29/04/2022

FLUIDRA

Page 6 of 12
Print date: 29/04/2022

CEN standards:	EN 165, EN 166, EN 167, EN 168	
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.	
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.	
Skin protection:		
PPE:	Chemical protective clothing	
Characteristics:	«CE» marking, category III. Clothing should fit properly. The level of protection must be set according to a test parameter called BT (Breakthrough Time), which indicates how long it takes the chemical to pass through the material.	
CEN standards:	EN 464, EN 340, EN 943-1, EN 943-2, EN ISO 6529, EN ISO 6530, EN 13034	
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.	
Observations:	The protective clothing's design should facilitate correct positioning, staying in place without moving for the period of use expected, bearing in mind environmental factors as well as any movement or position the user might adopt while carrying out the activity.	
PPE:	Anti-static safety footwear against chemicals.	
Characteristics:	«CE» marking, category III. Check the list of chemicals against which the footwear is resistant.	
CEN standards:	EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345	
Maintenance:	For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed.	
Observations:	The footwear should be cleaned regularly and dried when damp, although it should not be placed too close to a source of heat in order to avoid any sharp changes in temperature.	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

Information on basic physical and chemical properties.

Physical State:	Solid
Appearance:	Crystals, Granules, tablets
Colour:	White
Odour:	Slight chlorine odour
Odour Threshold [ppm]:	Not Available.
Molecular Weight:	142.98
Molecular Formula:	Ca (OCl) ₂
Decomposition Temperature:	177 °C
Boiling Point/Range:	Not applicable
Freezing Point/Range:	Not applicable.
Melting Point/Range:	177 °C
Vapour Pressure:	Not applicable
Vapour Density (air=1):	Not applicable
Relative Density/Specific Gravity:	No data available (water=1):
Density:	2.35 g/mL @ 25 °C
Bulk Solubility:	18g/L @ 20 °C
pH:	12.36 @ 25 °C (1% solution)
Volatility:	Not applicable
Evaporation Rate (ether=1):	Not applicable
Partition Coefficient (n-octanol/water):	No data available
Flash point:	Not applicable
Flammability (solid, gas):	Not flammable
Lower Flammability Level (air):	Not flammable
Upper Flammability Level (air):	Not flammable
Auto-ignition Temperature:	Not determined
Viscosity:	Not applicable

Other information

Viscosity: Not applicable/Not available due to the nature/properties of the product
Explosive properties: Not applicable/Not available due to the nature/properties of the product
Oxidizing properties: Not applicable/Not available due to the nature/properties of the product
Dropping point: Not applicable/Not available due to the nature/properties of the product

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

Version 1 Date of compilation: 29/04/2022

FLUIDRA

Page 7 of 12
Print date: 29/04/2022

Blink: Not applicable/Not available due to the nature/properties of the product

SECTION 10: STABILITY AND REACTIVITY.

Reactivity.

Contact with acids liberates toxic gas.

If the storage conditions are satisfied, does not produce dangerous reactions.

Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

Possibility of hazardous reactions.

Warning! Do not use together with other products. May release dangerous gases (chlorine).

May intensify fire; oxidiser.

Conditions to avoid.

Avoid the following conditions:

- Contact with incompatible materials.

Incompatible materials.

Avoid the following materials:

- Flammable materials.
- Explosives materials.
- Toxic materials.
- Corrosive materials.

Hazardous decomposition products.

Depending on conditions of use can be generated the following products:

- Oxygen.
- Oxidizing gases or vapours.

SECTION 11: TOXICOLOGICAL INFORMATION.

Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Type	Test	Kind	Value
calcium hypochlorite CAS No: 7778-54-3 EC No: 231-908-7	Oral	LD50	Rat	850 mg/kg bw [1]
	Dermal	LD50	Rabbit	> 1000 mg/kg
	Inhalation	EC50	Rat	3.5 mg/l (1h)
calcium chloride CAS No: 10043-52-4 EC No: 233-140-8	Oral	LD50	Rat	1000 mg/kg bw [1]
	Dermal			
	Inhalation			

a) Acute toxicity;

Product classified:

Acute toxicity (Oral), Category 4: Harmful if swallowed.

Acute Toxicity Estimate (ATE):

Mixtures:

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

Version 1 Date of compilation: 29/04/2022

FLUIDRA

Page 8 of 12
Print date: 29/04/2022

ATE (Oral) = 769 mg/kg

b) Skin corrosion/irritation;

Product classified:

Skin Corrosive, Category 1B: Causes severe skin burns and eye damage.

c) Serious eye damage/irritation;

Product classified:

Serious eye damage, Category 1: Causes serious eye damage.

d) Respiratory or skin sensitisation;

Not conclusive data for classification.

e) Germ cell mutagenicity;

Not conclusive data for classification.

f) Carcinogenicity;

Not conclusive data for classification.

g) Reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) Aspiration hazard;

Not conclusive data for classification.

Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

Toxicity.

Name	Eco toxicity			
	Type	Test	Kind	Value
calcium hypochlorite CAS No: 7778-54-3 EC No: 231-908-7	Fish	LC50 LC50	Fish Cymatogaster aggregata	1 - 10 mg/l (96 h) 0.308 mg/L (60 min)
	Aquatic invertebrates			
	Aquatic plants			
calcium chloride CAS No: 10043-52-4 EC No: 233-140-8	Fish	LC50	Gambusia affinis	13400 mg/L (96 h) [1]
	Aquatic invertebrates			
	Aquatic plants			

Persistence and degradability.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

Version 1 Date of compilation: 29/04/2022

FLUIDRA

Page 9 of 12
Print date: 29/04/2022

No information is available regarding the biodegradability of the substances present.
No information is available on the degradability of the substances present.
No information is available about persistence and degradability of the product.

Bio accumulative potential.

No information is available regarding the bioaccumulation of the substances present.

Mobility in soil.

No information is available about the mobility in soil.
The product must not be allowed to go into sewers or waterways.
Prevent penetration into the ground.

Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

Endocrine disrupting properties.

This product does not contain components with environmental endocrine disrupting properties.

Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.
Follow the provisions of Directive 2008/98/EC regarding waste management.

SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

Land: Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

Sea: Transport by ship: IMDG.

Transport documentation: Bill of lading

Air: Transport by plane: ICAO/IATA.

Transport document: Airway bill.

UN number or ID number.

UN No: UN2880

UN proper shipping name.

Description:

ADR/RID: UN 2880, CALCIUM HYPOCHLORITE, HYDRATED (CONTAINS CALCIUM HYPOCHLORITE), 5.1, PG II, (E)

IMDG: UN 2880, CALCIUM HYPOCHLORITE, HYDRATED (CONTAINS CALCIUM HYPOCHLORITE), 5.1, PG II, MARINE POLLUTANT

ICAO/IATA: UN 2880, CALCIUM HYPOCHLORITE, HYDRATED (CONTAINS CALCIUM HYPOCHLORITE), 5.1, PG II

Transport hazard class(es).

Class(es): 5.1

Packing group.

Packing group: II

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

Version 1 Date of compilation: 29/04/2022

FLUIDRA

Page 10 of 12
Print date: 29/04/2022

Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-H, S-Q

Special precautions for user.

Labels: 5.1



Hazard number: 50

ADR LQ: 1 kg

IMDG LQ: 1 kg

ICAO LQ: 2,5 kg

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.

Proceed in accordance with point 6.

IMDG Code segregation group: 8 Hypochlorites

Maritime transport in bulk according to IMO instruments.

The product is not transported in bulk.

SECTION 15: REGULATORY INFORMATION.

Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

Information related to Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products:

Product Type	Group
Disinfectants and algacides not intended for direct application to humans or animals	Disinfectants

Active substances	Concentration %
calcium hypochlorite CAS No: 7778-54-3 EC No: 231-908-7	30 - 80
calcium dihydroxide CAS No: 1305-62-0 EC No: 215-137-3	3 - 10

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 2: Hazardous to water. (Auto classified according to the AwSV Regulations)

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

Version 1 Date of compilation: 29/04/2022

FLUIDRA

Page 11 of 12
Print date: 29/04/2022

Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

Classification codes:

Acute Tox. 4: Acute toxicity (Oral), Category 4
Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1
Eye Dam. 1: Serious eye damage, Category 1
Eye Irrit. 2: Eye irritation, Category 2
Ox. Sol. 2: Oxidising solid, Category 2
STOT SE 3: Specific target organ toxicity following a single exposure, Category 3
Skin Corr. 1B: Skin Corrosive, Category 1B
Skin Irrit. 2: Skin irritant, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road.
AwSV: Facility Regulations for handling substances that are hazardous for the water.
CEN: European Committee for Standardization.
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.
EC50: Half-maximal effective concentration.
PPE: Personal protection equipment.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.
IMDG: International Maritime Code for Dangerous Goods.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.
WGK: Water hazard classes.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

BLU52 All-In-One Pool Solution

FLUIDRA

Version 1 **Date of compilation: 29/04/2022**

Page 12 of 12
Print date: 29/04/2022

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.